

Discharge Monitoring Report - STA5 - Submittal Date: June 2002

Monitoring Period: March 01, 2002 - March 31, 2002

Permit # FL0177954-001

Discharge Point Number: D-001

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Naomi S. Duerr, P.G., Director, Environmental Monitoring and Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SEC. 1001 AND 33 U.S.C. SEC. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small> 	<small>TELEPHONE NO.</small> 561-682-2200	<small>DATE</small> 6/5/02
--	---	---	--	-----------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-1 (Outflow) G344A	Calc	Daily		78	96	cfs
Dissolved Oxygen	00300 1 EFF-1 (Outflow) G344A	InSitu	Weekly	2.14			mg/L
Dissolved Oxygen	00300 5 SWU-1 (Inflow) G342A	InSitu	Weekly	6.15			mg/L
pH	00400 1 EFF-1 (Outflow) G344A	InSitu	Weekly	7.15		7.9	SU Field
Total Phosphorus	00665 Y EFF-1 (Outflow) G344A	Grab / Flow-Proportional Composite	Weekly		Flow-wt Mean 0.060		mg/L as P
Total Phosphorus	00665 P SWU-1 (Inflow) G342A	Grab / Flow-Proportional Composite	Weekly		Flow-wt Mean 0.230		mg/L as P

Discharge Monitoring Report - STA5 - Submittal Date: June 2002

Monitoring Period: March 01, 2002 - March 31, 2002

Permit # FL0177954-001

Discharge Point Number: D-002

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Naomi S. Duerr, P.G., Director, Environmental Monitoring and Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SEC. 1001 AND 33 U.S.C. SEC. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small> 	<small>TELEPHONE NO.</small> 561-682-2200	<small>DATE</small> 6/5/02
--	---	---	--	-----------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-2 (Outflow) G344B	Calc	Daily		68	95	cfs
Dissolved Oxygen	00300 1 EFF-2 (Outflow) G344B	InSitu	Weekly	2.35			mg/L
Dissolved Oxygen	00300 5 SWU-2 (Inflow) G342B	InSitu	Weekly	5.4			mg/L
pH	00400 1 EFF-2 (Outflow) G344B	InSitu	Weekly	7.14		7.73	SU Field
Total Phosphorus	00665 Y EFF-2 (Outflow) G344B	Grab / Flow-Proportional Composite	Weekly		Flow-wt Mean 0.104		mg/L as P
Total Phosphorus	00665 P SWU-2 (Inflow) G342B	Grab / Flow-Proportional Composite	Weekly		Flow-wt Mean 0.217		mg/L as P

\

Discharge Monitoring Report - STA5 - Submittal Date: June 2002

Monitoring Period: March 01, 2002 - March 31, 2002

Permit # FL0177954-001

Discharge Point Number: D-003

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Naomi S. Duerr, P.G., Director, Environmental Monitoring and Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SEC. 1001 AND 33 U.S.C. SEC. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small> 	<small>TELEPHONE NO.</small> 561-682-2200	<small>DATE</small> 6/5/02
--	---	---	--	-----------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-3 (Outflow) G344C	Calc	Daily		54	0	cfs
Dissolved Oxygen	00300 1 EFF-3 (Outflow) G344C	InSitu	Weekly	1.86			mg/L
Dissolved Oxygen	00300 5 SWU-3 (Inflow) G342C	InSitu	Weekly	5.28			mg/L
pH	00400 1 EFF-3 (Outflow) G344C	InSitu	Weekly	7.25		7.58	SU Field
Total Phosphorus	00665 Y EFF-3 (Outflow) G344C	Grab / Flow-Proportional Composite	Weekly		Flow-wt Mean 0.091		mg/L as P
Total Phosphorus	00665 P SWU-3 (Inflow) G342C	Grab / Flow-Proportional Composite	Weekly		Flow-wt Mean 0.300		mg/L as P

Discharge Monitoring Report - STA5 - Submittal Date: June 2002

Monitoring Period: March 01, 2002 - March 31, 2002

Permit # FL0177954-001

Discharge Point Number: D-004

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Naomi S. Duerr, P.G., Director, Environmental Monitoring and Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SEC. 1001 AND 33 U.S.C. SEC. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small> _____	<small>TELEPHONE NO.</small> 561-682-2200	<small>DATE</small> 6/5/02			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-4 (Outflow) G344D	Calc	Daily		23	2	cfs
Dissolved Oxygen	00300 1 EFF-4 (Outflow) G344D	InSitu	Weekly	2.21			mg/L
Dissolved Oxygen	00300 5 SWU-4 (Inflow) G342D	InSitu	Weekly	5.3			mg/L
pH	00400 1 EFF-4 (Outflow) G344D	InSitu	Weekly	7.37		7.7	SU Field
Total Phosphorus	00665 Y EFF-4 (Outflow) G344D	Grab / Flow-Proportional Composite	Weekly		Flow-wt Mean 0.043		mg/L as P
Total Phosphorus	00665 P SWU-4 (Inflow) G342D	Grab / Flow-Proportional Composite	Weekly		Flow-wt Mean 0.272		mg/L as P